

Semaglutide

GLP-1 • Research Use Only

Batch Number	GP26-1024	Test Date	13 April 2026
Product	Semaglutide	Analyst	Dr. A. Novak
Category	GLP-1	Laboratory	Puralytix (Independent Laboratory)
Strength	10mg	Test Method	HPLC-UV / MS Confirmation
Dosage Form	Lyophilised Powder	Presentation	Research Vial
Expiry	October 2027	HPLC Purity	99.4 %

RESULT

PASS — HPLC Purity 99.4%

Verify this certificate

Report ID: **GP26-1024**

Verification Key: **4393-53AE**

puralytix.com/report-verification

Enter the Report ID and Verification Key on the page above, or scan the QR code, to confirm this report is genuine.



Scan to verify

Puralytix provides independent analytical testing and informational reports only. This certificate relates solely to the sample identified above and the test method stated. Results are subject to the inherent limitations and detection thresholds of the method used. Puralytix does not provide medical, dosing, sourcing, legal or consumption advice, and a result does not imply that any substance is safe, approved, lawful or suitable for human use. Research use only. Clients are responsible for complying with the laws of their own jurisdiction.

Puralytix — 71 Vazha-Pshavela Avenue, Block 2, Saburtalo District, 0186 Tbilisi, Georgia