



PURALYTIX
ANALYSIS • PEPTIDES • SARMS

CERTIFICATE OF ANALYSIS

Report ID: GP26-1066

KPV Anti-Inflammatory Peptide

Repair & Recovery • Research Use Only

Batch Number	GP26-1066	Test Date	25 May 2026
Product	KPV Anti-Inflammatory Peptide	Analyst	Dr. S. Patel
Category	Repair & Recovery	Laboratory	Puralytix (Independent Laboratory)
Strength	5mg	Test Method	HPLC-UV / MS Confirmation
Dosage Form	Lyophilised Powder	Presentation	Research Vial
Expiry	November 2027	HPLC Purity	99.8 %

RESULT

PASS — HPLC Purity 99.8%

Verify this certificate

Report ID: **GP26-1066**

Verification Key: **RM4Q-62RV**

puralytix.com/report-verification

Enter the Report ID and Verification Key on the page above, or scan the QR code, to confirm this report is genuine.



Scan to verify

Puralytix provides independent analytical testing and informational reports only. This certificate relates solely to the sample identified above and the test method stated. Results are subject to the inherent limitations and detection thresholds of the method used. Puralytix does not provide medical, dosing, sourcing, legal or consumption advice, and a result does not imply that any substance is safe, approved, lawful or suitable for human use. Research use only. Clients are responsible for complying with the laws of their own jurisdiction.

Puralytix — 71 Vazha-Pshavela Avenue, Block 2, Saburtalo District, 0186 Tbilisi, Georgia