

GLOW Blend – BPC-157, TB-500 & GHK-Cu

Repair & Recovery • 70mg • Research Use Only

1. SAMPLE IDENTIFICATION

Product	GLOW Blend – BPC-157, TB-500 & GHK-Cu	Batch / Lot no.	GP26-2174
Category	Repair & Recovery	Strength	70mg
Presentation	Research Vial	Dosage form	Lyophilised Powder

2. IDENTITY CONFIRMATION

Method	LC-MS (ESI-Q-TOF)	Result	Conforms to reference standard
[M+H] ⁺ observed	2188.5 m/z	[M+H] ⁺ theoretical	2188.6 m/z
[M+2H] ²⁺ observed	1094.8 m/z	Mass deviation	-0.1 Da

3. PURITY AND QUANTITATIVE CONTENT

Technique	UPLC	Method	UPLC-UV, 214 nm
Chromatographic purity	99.4 % (area normalisation)	Content, % of label claim	99.1 %
Measured content	69.37 mg/vial (label claim 70mg)		

4. ANALYTICAL DATA




Fig. 1 — UPLC chromatogram; main peak 6.40 min, 99.4% area.




Fig. 2 — ESI-Q-TOF mass spectrum; base peak [M+H]⁺ 2188.5 m/z.

RESULT **PASS — Identity conforms; chromatographic purity 99.4%**

5. AUTHORISATION AND VERIFICATION

Analyst	Dr. E. Vasquez	Approved (QA)	Dr. N. Kowalski
Date of test	4 September 2026	Date of manufacture	18 August 2026
Expiry	18 August 2029	Laboratory	Puralytix Analytical Laboratories

Verify this certificate

Report ID: **GP26-2174**

Verification key: **AUQ5-RKZZ**

puralytix.com/report-verification

Enter the report ID and verification key on the page above, or scan the QR code, to confirm this certificate is genuine.



Scan to verify

Puralytix Analytical Laboratories provides independent analytical testing and informational reports only. This certificate relates solely to the sample identified above and to the test methods stated. Results are subject to the inherent limitations and detection thresholds of the methods used. Puralytix does not provide medical, dosing, sourcing, legal or consumption advice, and no result implies that any substance is safe, approved, lawful or suitable for human use. **For research use only.** Clients are responsible for complying with the laws of their own jurisdiction. This document may not be reproduced except in full.

Puralytix Analytical Laboratories — 71 Vazha-Pshavela Avenue, Block 2, Saburtalo District, 0186 Tbilisi, Georgia • PLX-202609-50174